


SureSeal S/Steel Double Door Wafer Non-Return Check Valve




Performance Specifications			Product Specification	
Pressure	1.6MPa		Design Spec	GB12221-1989
Shell Test	Water	2.4 Mpa	Face to Face	GB12221-2005
Seal Test	Water	1.8MPa	Flange End	Wafer Type
Working Temp	-28~300°C		Test & Check	GB/T13927-92
Applicable Medium	Water Steam, Oil, etc.		Standard	DIN Standard
7	Bolt/Nut		SS304	
6	Washer		SS304	
5	Shaft		SS304/SS316	
4	Spring		SS304/SS316	
3	Seat		Metal to Metal	
2	Disc		WCB/CF8/CF8M	
1	Body		WCB/CF8/CF8M	
Item No.	Part Name		Material	


Dual Plate Wafer Check Valve

Material: A216-WCB/CF8/CF8M

Flange End: DIN Standard

Pressure: PN16 / PN25

Dwg.No.		Units: mm	Projection 
Designed		Client	
Checked		Date	
Approved			
Title: Dual Plate Wafer Check Valve			



Dimensions and Connection Size of Dual Plate Check Valve (Unit: mm)					
PN16					
DN	L	D	D2	D3	Weight (kg)
50	60	108	51	56	2.5
65	67	128	65	73	3
80	73	142	80	88	4
100	73	162	102	108	5
125	86	192	127	132	9
150	98	218	152	152	11
200	127	273	203	210	22
250	146	329	254	266	35
300	181	384	305	310	50
350	184	444	350	355	60
400	191	496	400	405	70
450	203	556	450	455	90
500	219	618	500	505	130
600	222	732	600	605	210